

## OTHER CHRONIC CONDITIONS

Montana BRFSS, 2012

In 2012, 2.3% of Montana adults reported ever having been diagnosed with kidney disease. 18.5% of adults reported having trouble seeing, even when wearing glasses or contact lenses.


### Sociodemographic Trends of Kidney Disease

- ◆ Older adults reported ever having been diagnosed with kidney disease more frequently than younger adults.
- ◆ The prevalence of ever having been diagnosed with kidney disease decreased with increasing household income levels.
- ◆ American Indians/Alaska Natives reported ever having been diagnosed with kidney disease more often than White, non-Hispanic adults.
- ◆ Adults with a disability reported ever having been diagnosed with kidney disease more often than adults without a disability.

### Sociodemographic Trends of Vision Problems

- ◆ The prevalence of having trouble seeing was higher among women than men.
- ◆ Older adults reported having trouble seeing more frequently than younger adults.
- ◆ The prevalence of having trouble seeing decreased with increasing education and household income levels.
- ◆ American Indians/Alaska Natives reported having trouble seeing more often than White, non-Hispanic adults.
- ◆ Adults with a disability reported having trouble seeing more often than adults without a disability.

**Figure 24. Other Chronic Conditions by Disability Status, Montana BRFSS, 2012**



**Table 24: Other Chronic Conditions, Montana Adults, 2012**

	Ever Diagnosed with Kidney Disease †				Ever Have Trouble Seeing ‡			
	Wt. %	95% CI		UnWt. N	Wt. %	95% CI		UnWt. N
		LL	UL			LL	UL	
<b>All Adults:</b>	<b>2.3</b>	2.0	2.8	261	<b>18.5</b>	17.5	19.6	1,732
<b>Sex:</b>								
Male	<b>2.2</b>	1.7	2.8	109	<b>16.6</b>	15.1	18.1	674
Female	<b>2.5</b>	2.0	3.2	152	<b>20.5</b>	19.0	22.1	1,058
<b>Age:</b>								
18 - 24	<b>0.9</b>	0.2	3.8	2	<b>15.7</b>	12.1	20.1	70
25 - 34	<b>1.0</b>	0.5	2.1	12	<b>11.3</b>	9.0	14.1	104
35 - 44	<b>1.7</b>	0.9	3.3	16	<b>13.0</b>	10.6	15.7	128
45 - 54	<b>1.5</b>	0.9	2.3	33	<b>23.1</b>	20.6	26.0	347
55 - 64	<b>3.7</b>	2.8	4.9	71	<b>21.8</b>	19.5	24.2	435
65+	<b>4.3</b>	3.4	5.4	127	<b>22.9</b>	21.0	24.9	638
<b>Education:</b>								
<High School	<b>3.2</b>	1.8	5.6	25	<b>25.3</b>	21.2	30.0	176
High School	<b>3.0</b>	2.2	4.0	100	<b>21.9</b>	19.9	24.0	637
Some College	<b>1.9</b>	1.4	2.6	71	<b>16.7</b>	14.9	18.6	482
College Degree +	<b>1.8</b>	1.3	2.5	64	<b>14.5</b>	12.9	16.2	433
<b>Income:</b>								
<\$15,000	<b>3.6</b>	2.4	5.2	50	<b>32.5</b>	28.7	36.6	361
\$15,000 - \$24,999	<b>3.0</b>	2.2	4.2	73	<b>22.8</b>	20.2	25.6	400
\$25,000 - \$49,999	<b>2.7</b>	1.9	3.8	66	<b>17.2</b>	15.2	19.3	418
\$50,000 - \$74,999	<b>1.0</b>	0.6	1.9	19	<b>11.1</b>	9.2	13.4	159
\$75,000 +	<b>1.4</b>	0.9	2.3	25	<b>12.6</b>	10.7	14.7	200
<b>Race/Ethnicity:</b>								
White, non-Hispanic	<b>2.1</b>	1.7	2.5	207	<b>17.6</b>	16.6	18.8	1,418
AI/AN*	<b>6.7</b>	3.9	11.3	41	<b>26.1</b>	21.2	31.8	183
Other or Hispanic**	<b>3.3</b>	1.5	7.0	13	<b>24.2</b>	18.8	30.7	105
<b>Disability:</b>								
Disability	<b>5.4</b>	4.3	6.7	152	<b>34.4</b>	31.9	37.0	848
No Disability	<b>1.4</b>	1.0	1.8	108	<b>13.4</b>	12.3	14.6	867
<b>Region:</b>								
1- Eastern MT	<b>2.5</b>	1.6	4.0	30	<b>18.7</b>	15.8	22.0	206
2- N Central MT	<b>2.2</b>	1.6	3.1	64	<b>18.8</b>	16.4	21.6	380
3- S Central MT	<b>1.8</b>	1.2	2.8	32	<b>16.0</b>	13.8	18.4	235
4- Southwest MT	<b>2.6</b>	1.8	3.8	43	<b>19.1</b>	17.0	21.5	305
5- Northwest MT	<b>2.4</b>	1.7	3.2	85	<b>19.5</b>	17.6	21.6	578

† Has a doctor ever told you that you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence. Total Sample Size: 8,648, Weighted Prevalence Estimate: 18,300.

‡ Do you have any trouble seeing, even when wearing glasses or contact lenses? Total Sample Size: 8,615, Weighted Prevalence Estimate: 143,800.

\* American Indian or Alaska Native only.

\*\* All other non-White (including multi-racial or Hispanic).

Page Intentionally Left Blank