

DPHHS HAN

From: DPHHS HAN
Sent: Monday, March 22, 2010 3:18 PM
Subject: DPHHS HAN ADVISORY 2010 - 12: Recommendation to Temporarily Suspend Usage of GlaxoSmithKline Rotarix (Rotavirus) Vaccine
Attachments: Suspend Usage of Rotarix.pdf

State of Montana DPHHS HAN ADVISORY

Forwarding Instructions:

FORWARD to your local HAN contacts

DPHHS Information / Recommendations:

Recommendation to Temporarily Suspend Usage of GlaxoSmithKline Rotarix (Rotavirus) Vaccine

Summary

The U.S. Food and Drug Administration (FDA) has learned that DNA from porcine circovirus type 1 (PCV1), is present in the Rotarix vaccine. This virus is not known to cause disease in humans. All available evidence indicates that there has been no increased risk to patients who have received this vaccine. PCV1 is not known to cause any disease in animals or humans; therefore, it has not been routinely tested for in vaccine development. Rotarix has been extensively studied, before and after approval, and found to have an excellent safety record (i.e., no unusual adverse events). However, FDA is recommending that healthcare practitioners temporarily suspend usage of the Rotarix vaccine for rotavirus immunization in the United States while the agency learns more about the detection of components of the virus found in the vaccine.

Recommendations

- Clinicians should temporarily suspend the use of Rotarix. This recommendation applies to all lots of the Rotarix vaccine. Immunization providers are being asked to continue to store the Rotarix vaccine until further notice.
- RotaTeq vaccine is available for rotavirus immunization during this period. Please contact the DPHHS
- Home IV Pharmacy at (406)723-4099 if you need to order additional doses of RotaTeq to supplement your current supply of rotavirus vaccine.
- For children who have received one dose of Rotarix, CDC advises that clinicians complete the series with RotaTeq for the next two doses.

DPHHS Subject Matter Expert (SME) Contact:

Contact the DPHHS Immunization Program at (406) 444-5580.

Distributed by the Department of Public Health and Human Services Health Alert Network (HAN) System

DPHHS Health Alert Hotline: 1-800-701-5769

DPHHS HAN Website: www.han.mt.gov

You have received this message based upon the information contained within our emergency notification data base. If you have a different e-mail or fax address that you would like us to use please notify us as soon as possible by e-mail at hhshan@mt.gov.

The goal of Montana's Health Alert Network is to transmit information to local public health authorities as quickly as possible, and assign a suitable priority to the message. For questions or comments about Montana's HAN system you may contact the DPHHS HAN Coordinator, Gerry Wheat at gwheat@mt.gov.

Categories of Health Alert Messages:

Health Alert: conveys the highest level of importance; warrants immediate action or attention.

Health Advisory: provides important information for a specific incident or situation; may not require immediate action.

Health Update: provides updated information regarding an incident or situation; unlikely to require immediate action.

Recommendation to Temporarily Suspend Usage of GlaxoSmithKline Rotarix (Rotavirus) Vaccine

Summary

The U.S. Food and Drug Administration (FDA) has learned that DNA from porcine circovirus type 1 (PCV1), a virus not known to cause disease in humans, is present in the Rotarix vaccine. All available evidence indicates that there has been no increased risk to patients who have received this vaccine. PCV1 is not known to cause any disease in animals or humans; therefore, it has not been routinely tested for in vaccine development. Rotarix has been extensively studied, before and after approval, and found to have an excellent safety record (i.e., no unusual adverse events). However, FDA is recommending that healthcare practitioners temporarily suspend usage of the Rotarix vaccine for rotavirus immunization in the United States while the agency learns more about the detection of components of the virus found in the vaccine.

Background

FDA has learned that DNA from porcine circovirus type 1 (PCV1) is present in the Rotarix vaccine. This finding was reported to FDA by GlaxoSmithKline on March 15th, 2010, based on work originally performed by an academic research team using a novel technique to look for viruses. GlaxoSmithKline then conducted additional studies and confirmed that PCV1 DNA is present in the finished Rotarix vaccine, as well as in the cell bank and seed from which the vaccine is derived. This finding suggests that the PCV1 DNA has likely been present since the early stages of the vaccine's development.

Rotavirus vaccines are given by mouth to young infants to prevent rotavirus disease, which can cause severe diarrhea and dehydration. Each year, rotavirus disease causes more than 500,000 deaths in infants globally, and more than 50,000 hospitalizations and several dozen deaths in the United States. There are two licensed rotavirus vaccines in the United States: RotaTeq (Merck) and Rotarix (GlaxoSmithKline).

Recommendations

While FDA is learning more about the situation, the agency is recommending that clinicians temporarily suspend the use of Rotarix. This recommendation applies to all lots of the Rotarix vaccine. Immunization providers are being asked to continue to store the Rotarix vaccine until further notice.

RotaTeq vaccine is available for rotavirus immunization during this period. Please contact the DPHHS Home IV Pharmacy at (406)723-4099 if you need to order additional doses of RotaTeq to supplement your current supply of rotavirus vaccine.

For children who have received one dose of Rotarix, CDC advises that clinicians complete the series with RotaTeq for the next two doses. Since RotaTeq was licensed in 2006 and Rotarix in 2008, most children vaccinated in the United States received RotaTeq. The RotaTeq vaccine is made using a different process from the Rotarix vaccine. Preliminary studies by FDA on the RotaTeq vaccine have not shown the presence of PCV1 DNA. FDA is working with Merck to confirm these results.

FDA is obtaining additional information about the presence of PCV1 DNA in Rotarix, including whether intact virus (as opposed to DNA components) is present. FDA is also investigating how the PCV1 DNA came to be present in the vaccine.

Within the next four to six weeks, FDA will convene an advisory committee to review the available data and make recommendations on the licensed rotavirus vaccines. FDA will also seek input on the use of new techniques for identifying viruses in vaccines. The agency anticipates that following the advisory committee meeting, based on expert input and additional review, FDA will make further recommendations on the use of the two licensed rotavirus vaccines in the United States.

The recommendations detailed above are for the United States, where there is less rotavirus disease and an alternative vaccine is available. Other countries may decide to continue vaccinating with Rotarix while more information becomes known. Available evidence suggests that the benefits of continued use of Rotarix in countries where rotavirus disease is common and severe far outweigh any potential risk from the vaccine.

Clinicians are requested to report any suspected adverse events following Rotarix vaccination to the Vaccine Adverse Event Reporting System (VAERS) via phone 800-822-7967 or on-line: <http://vaers.hhs.gov>.

For More Information:

Contact the DPHHS Immunization Program at (406) 444-5580.
FDA intends to provide frequent updates to patients, providers, and the general public as its understanding evolves. Additional information is available at: www.fda.gov.