

STD End of Year Surveillance Report

2009, Montana

The following tables show cases of chlamydia and gonorrhea reported during the period of January 1, 2009 through December 31, 2009. For more information contact the STD Surveillance Coordinator at 406-444-2678.

Table 1. Chlamydia Cases Reported, by Age, Race, and Sex **Table 2. Gonorrhea Cases Reported, by Age, Race, and Sex**

Chlamydia											
Age	Female					Male					Total*
	AI	White	Other	Unk	Total	AI	White	Other	Unk	Total	
0-14	16	6	0	5	27	1	0	0	1	2	29
15-19	230	454	36	89	809	70	82	13	36	201	1010
20-24	210	520	43	94	867	83	217	39	45	384	1251
25-29	75	165	8	50	298	36	88	13	32	169	467
30-34	32	40	4	14	90	11	23	3	11	48	138
35-39	10	10	3	11	34	6	13	0	4	23	57
Over 39	4	8	0	2	14	5	13	2	8	28	42
Total*	577	1203	94	265	2139	212	436	70	137	855	2994

Gonorrhea											
Age	Female					Male					Total*
	AI	White	Other	Unk	Total	AI	White	Other	Unk	Total	
0-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	7	3	2	12	1	1	1	2	5	17
20-24	3	13	2	3	21	2	7	1	2	12	33
25-29	0	5	0	2	7	2	1	2	1	6	13
30-34	1	3	0	0	4	0	1	0	2	3	7
35-39	0	0	0	0	0	0	2	1	2	5	5
Over 39	1	1	0	0	2	1	2	0	0	3	5
Total*	5	29	5	7	46	6	14	5	9	34	80

*Columns and rows may not add up to totals due to missing data.

Table 3. Syphilis Cases Reported, by Age, Race, and Sex

Syphilis											
Age	Female					Male					Total*
	AI	White	Other	Unk	Total	AI	White	Other	Unk	Total	
0-14	0	0	0	0	0	0	0	0	0	0	0
15-19	0	0	0	0	0	0	0	0	0	0	0
20-24	0	0	0	0	0	0	0	0	1	1	1
25-29	0	0	0	0	0	0	2	0	0	2	2
30-34	0	0	0	0	0	0	1	0	0	1	1
35-39	0	0	0	0	0	0	1	0	0	1	1
Over 39	0	0	0	0	0	0	0	0	0	0	0
Total*	0	0	0	0	0	0	4	0	1	5	5

- 13% of reported chlamydia cases have no race reported and 20% of gonorrhea cases have no race reported. Reclassification of these cases could change other races' disease burdens.
- At the end of 2009 there had been five reported cases of syphilis.
- Chlamydia is the most commonly reported disease in Montana and the US. In 2009 (n=2994), the rate of chlamydia decreased from 321 to 309/100,000 population. The national rate in 2009 of chlamydia was 409.2/100,000 population.
- In 2009, the rate of gonorrhea infections in Montana was 8/100,000 population (n=80) which decreased from 2008 compared with US rate of 111.6/100,000 population in 2008.

STD Program

Phone Contact 406-444-2678
 Fax 1-800-616-7460

