

# 1. Montana Department of Public Health & Human Services CPC+ & PCMH Registry Requirements

**Each member must meet the inclusion requirements for a measure before the “met” versus “not met” logic will apply**

## 1. Preventive Care and Screening: Tobacco Use: Screening and Cessation (Criteria 1) - Percentage of patients $\geq 18$ years and older who were screened for tobacco use one or more times within 24 months.

### ▪ Measure Inclusion Requirement:

- Member is  $\geq 18$  years as of the last day of the current measurement period (24 months) **AND** has at least 2 tobacco screen encounters **or** 1 tobacco screen preventive encounter during the current measurement period.

### ▪ Measure Exclusion:

- No exclusion criteria for this measure.

### ▪ To Meet This Measure: A member has a tobacco screening completed during the current or prior measurement period.

- **AND meets the following:**

- The member is documented as a tobacco non-user **or** tobacco user within the current or prior measurement period.

## 2. Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention (Criteria 3) -

Percentage of members  $\geq 18$  years who were screened for tobacco use one or more times within 24 months, **AND** who received tobacco cessation intervention if identified as a tobacco user.

### ▪ Measure Inclusion Requirement:

- Member is  $\geq 18$  years as of the last day of the current measurement period (24 months) **AND** has at least 2 tobacco screen encounters **or** 1 tobacco screen preventive encounter during the current measurement period.

### ▪ Measure Exclusion:

- No exclusion criteria for this measure.

### ▪ To Meet This Measure:

- A member has a tobacco screening completed during the current or prior measurement period.

- **AND meets the following:**

- a. The member is documented as a tobacco non-user **or** tobacco user within the current or prior measurement period.

- **AND meets the following:**

- a. The member has a documented tobacco cessation intervention **or** prescribed a tobacco cessation medication on the same date or after the qualifying diagnosis of tobacco user.

## 3. Initiation of Alcohol and Other Drug Dependence Treatment - The percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) dependence who initiated treatment within 14 days of the diagnosis.

### ▪ Measure Inclusion Requirement:

- Member is  $\geq 13$  years as of the end of the measurement year (rolling year)

- **AND meets the following:**

- a. The member's clinical oldest diagnosis of AOD dependence is between the beginning of the current measurement period and 319 days after the start of the measurement period

- **AND meets the following:**
  - a. The member has an AOD Encounter during the current measurement period.
- **This would mean that those members with an AOD dependence diagnosis prior to the current measurement period would not meet the inclusion criteria for this measure therefore the tile would not appear for this member.**

- **Measure Exclusion:**

- A member has an AOD dependence diagnosis  $\leq 60$  days prior to the qualifying diagnosis **OR** a hospital admission and a hospice discharge disposition **OR** is receiving hospice care during the current measurement period.

- **To Meet This Measure:**

- A member has received alcohol and drug treatment **or** has had a psychotherapy visit on the same date or within 14 days from the qualifying diagnosis of AOD dependence

#### 4. Engagement of Alcohol and Other Drug Dependence Treatment - The percentage of adolescent and adult members with a new episode of alcohol or other drug (AOD) dependence who initiated treatment and who had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit.

- **Measure Inclusion Requirement:**

- Member is  $\geq 13$  years as of the end of the measurement year (rolling year)
  - **AND meets the following:**
    - a. The member's clinical oldest diagnosis of AOD dependence is between the beginning of the current measurement period and 319 days after the start of the measurement period
  - **AND meets the following:**
    - a. The member has an AOD Encounter during the current measurement period.

- **This would mean that those members with an AOD dependence diagnosis prior to the current measurement period would not meet the inclusion criteria for this measure therefore the tile would not appear for this member.**

- **Measure Exclusion:**

- A member has an AOD dependence diagnosis  $\leq 60$  days prior to the qualifying diagnosis **OR** a hospital admission and a hospice discharge disposition **OR** is receiving hospice care during the current measurement period.

- **To Meet This Measure:**

- A member has alcohol and drug treatment **OR** a psychotherapy visit on the same date or within 14 days from the qualifying diagnosis of AOD dependence

- **AND meets one of the following:**

- a. The member has  $\geq 2$  alcohol and drug treatments on the same date or within 30 days from the qualifying alcohol and drug treatment **OR** has  $\geq 2$  psychotherapy visits on the same date or within 30 days from the qualifying psychotherapy visit. **(difference between this measure and the Initiation of Alcohol and other Drug Dependence Treatment measure)**

#### 5. Screening for Depression & Follow up Plan - Percentage of members $\geq 12$ years screened for depression on the date of the encounter using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen.

- **Measure Inclusion Requirement:**

- A member has a depression screen encounter documented during the current measurement period (rolling year) **AND** is  $\geq 12$  years of age during the qualifying encounter.

- **Measure Exclusion:**

- A member has a diagnosis of depression anytime prior to the start of the qualifying encounter **OR** has a diagnosis of Bipolar Disorder anytime prior to the start of the qualifying encounter.

▪ **To Meet this Measure:**

- A member is aged  $\geq 12$  and  $< 18$  at the end of the current measurement period (rolling year)
  - **AND meets one of the following:**
    - a. The member has a depression screen negative-Adolescent documentation, **OR** a depression screening Positive-Adolescent documented during the current measurement period.
  - **AND meets one of the following:**
    - a. Member has an additional depression evaluation on the same date as the depression screen positive-adolescent **OR** the member has a referral for depression intervention on the same date as the depression screen positive-adolescent **OR** the member has been prescribed a depression medication on the same date as the depression screen positive-adolescent **OR** the member has a depression follow-up on the same date as the depression screen positive-adolescent **OR** member has a suicide risk assessment on the same date as the depression screen positive.
- **OR** member is  $\geq 18$  years at the end of the current measurement period
  - **AND meets at least one of the following:**
    - a. Member has a depression screen negative-adult documented during the current measurement period **OR** Member has a depression screen positive-adult documented during measurement period.
  - **AND received one of the following:**
    - a. Member has an additional depression evaluation on the same date as the depression screen positive-adult **OR** Member has a referral for depression intervention on the same date as the depression screen positive-adult **OR** Member has been prescribed a depression medication on the same date as the depression screen positive-adult **OR** Member has a depression follow-up on the same date as the depression screen positive-adult **OR** Member has a suicide risk assessment on the same date as the depression screen positive-adult

6. **Breast Cancer Screening -** The proportion of women in the registry population, age 51 through 73 years of age who had a mammogram to screen for breast cancer in the registry population.

▪ **Measure Inclusion Requirement:**

- Member is female aged  $\geq 51$  and  $< 74$  years as of the last day of the current measurement period (rolling year)
  - **AND meets the following:**
    - a. Member has a documented breast screen encounter during the current measurement period.

▪ **Measure Exclusion:**

- Member has had a bilateral mastectomy at any time prior to the end of the current measurement period **OR** member has 2 unilateral mastectomies at any time prior to the end of the current measurement period **OR** member has had a right and left mastectomy at any time prior to the end of the current measurement period **OR** member has a hospital admission and a hospice discharge disposition during current measurement period **OR** member received hospice care during the current measurement period

▪ **To Meet this Measure:**

- Member had a documented mammogram within 27 months (821 days) prior to the end of the current measurement period.

7. **Cervical Cancer Screening -** The proportion of females in the population aged 23 to 64 years, who had at least 1 PAP test within 3 years prior to the end of the current measurement period, or females aged 30 through 64 years who had at least 1 PAP and HPV (co-testing) performed within 5 years prior to the end of the current measurement period.

- **Measure Inclusion Requirement:**
  - Female members in the registry population between ages  $\geq 23$  and  $< 64$  years
    - **AND meets the following:**
      - a. Member has had a cervical cancer encounter performed during the measurement period.
- **Measure Exclusion:**
  - Member has a documented complete hysterectomy at any time prior to the end of the current measurement period **OR** member has a hospital admission and a hospice discharge disposition during the current measurement period **OR** member is receiving hospice care during the current measurement period.
- **To Meet this Measure:**
  - Members with a documented pap test within 3 years prior to the end of the current measurement period **OR** member's age  $\geq 30$  with a documented pap test and HPV test within 24 hours performed within 5 years prior to the end of the current measurement period

**8. Colorectal Cancer Screening - Percentage of members aged 50 to 75 years of age who have appropriate screening for colorectal cancer during the current measurement period.**

- **Measure Inclusion Requirement:**
  - Member is  $\geq 50$  and  $< 75$  years of age as of the last day of the current measurement period
    - **AND meets the following:**
      - a. Member has a colorectal cancer screen encounter during the current measurement period
- **Measure Exclusion:**
  - Member has a hospital admission and a hospice discharge disposition during the current measurement period **OR** member receiving hospice care during the current measurement **OR** member has a history of malignant neoplasm of colon at any time prior to the end of the current measurement period **OR** member has a diagnosis of total colectomy at any time prior to the end of the current measurement period.
- **To Meet this Measure:**
  - Member has a documented colonoscopy within the past 9 years prior to the end of the current measurement period **OR** member has a documented fecal occult blood test during the current measurement period **OR** member has a documented flexible sigmoidoscopy within the past 4 years prior to the end of the current measurement period **OR** member has a documented FIT DNA within the past 2 years prior to the end of the current measurement period **OR** member has a documented CT colonography within the past 4 years prior to the end of the current measurement period

**9. Dementia: Cognitive Assessment - The percentage of members with a diagnosis of Dementia for whom an assessment of cognition documented within the measurement period.**

- **Measure Inclusion Requirement:**
  - Member has  $\geq 2$  dementia encounters during the current measurement period
    - **AND meets the following:**
      - a. Member has a diagnosis of dementia during the first dementia encounter
- **Measure Exclusion:**
  - No exclusion criteria for this measure
- **To Meet this Measure:**
  - Member has a cognitive assessment intervention performed  $\leq 12$  months before the end of the first dementia encounter **OR** member has a cognitive assessment performed  $\leq 12$  months before the end of the first dementia encounter

**10. Diabetes: Hemoglobin A1c Poor Control - The percentage of members aged 18 years through 75 years with a diagnosis of Diabetes Mellitus who had a Hemoglobin A1c greater than 9.0% during the current measurement period.**

▪ **Measure Inclusion Requirement:**

- Member has a diabetes mellitus encounter during the current measurement period
  - **AND meets the following:**
    - a. Member is  $\geq 18$  and  $< 76$  years of age as of the last day of the measurement period
    - b. Member has a diagnosis of diabetes mellitus during the current measurement period

▪ **Measure Exclusion:**

- Member has a hospital admission and a hospice discharge disposition during the current measurement period **OR** member receiving hospice during the current measurement period

▪ **To Meet this Measure:**

- Member's most recent HbA1c result is  $> 9\%$  during the current measurement period **OR** members with no HbA1c results during the current measurement period

**11. Controlling High Blood Pressure - Percentage of members aged 18 through 85 years of age who have a diagnosis of hypertension and whose blood pressure was adequately controlled ( $< 140/90$  mm Hg) during the current measurement period.**

▪ **Measure Inclusion Requirement:**

- Member has a high blood pressure encounter during the current measurement period
  - **AND meets the following:**
    - a. Member is  $\geq 18$  and  $< 86$  years of age as of the last day of the current measurement period.
    - b. Member has a diagnosis of essential hypertension anytime prior to the current measurement period to 6 months prior to the end of the current measurement period

▪ **Measure Exclusion:**

- Member has a hospital admission and a hospice discharge disposition during the current measurement period **OR** member is receiving hospice care during the current measurement period **OR** presence of documentation of end stage renal disease during the current measurement period **OR** presence of documentation of chronic kidney disease during the current measurement period **OR** member has a diagnosis of pregnancy during the current measurement period **OR** presence of documentation of vascular access for dialysis at any time prior to the end of the current measurement period **OR** presence of documentation of ESRD monthly outpatient services at any time prior to the end of the current measurement period **OR** presence of documentation of renal dialysis at any time prior to the end of the current measurement period **OR** presence of documentation of renal transplant at any time prior to the end of the current measurement period

▪ **To Meet this Measure:**

- Member has an adult outpatient visit during the current measurement period
  - **AND meets the following:**
    - a. Member's most recent documented systolic blood pressure value  $< 140$  mm Hg on the same date as the adult outpatient visit
    - b. Member's most recent documented diastolic blood pressure value  $< 90$  mm Hg on the same date as the adult outpatient visit
    - c. Member has a condition of essential hypertension at any time prior to the end of the current measurement period
  - **If multiple values exist on that date, use the lowest systolic blood pressure and diastolic blood pressure values from that date**

**12. Major Depressive Disorder (MDD): Suicide Risk Assessment -** The proportion of members in the registry population with a documented suicide risk assessment that occurred on the same date as the Major Depressive Disorder (MDD) condition and during the current measurement period.

▪ **Measure Inclusion Requirement:**

- Member  $\geq 9$  years of age as of the last day of the current measurement period
  - **AND meets the following:**
    - a. Members in the registry population with a condition of Major Depressive Disorder during the current measurement period **OR** members in the registry population with a condition of Dysthymia during the current measurement period.

▪ **Measure Exclusion:**

- No exclusion criteria for this measure

▪ **To Meet this Measure:**

- Member has presence of documentation of risk for suicide on the same date as the qualifying condition of major depressive disorder **OR** presence of documentation of suicidal ideation on the same date as the qualifying condition of major depressive disorder
  - **AND meets the following:**
    - a. Documented plan to attempt suicide on the same date as the qualifying condition of major depressive disorder **OR** documented means for completing suicide on the same date as qualifying condition of major depressive disorder **OR** documented suicide risk assessment on the same date as qualifying condition of major depressive disorder

**13. Maternal Depression Screening -** The proportion of females in the registry population with a documented clinical depression screen, **AND** a documented follow up intervention for a positive depression screen.

▪ **Measure Inclusion Requirement:**

- Member is  $\geq 9$  and  $< 56$  years of age as of the end of the current measurement period
  - **AND meets the following:**
    - a. A condition of pregnancy documented during the current measurement period
    - b. Members who had an obstetrical ultrasound during the qualifying pregnancy **OR** Members who had a pregnancy test positive during the qualifying pregnancy **OR** Members who had a prenatal care visit during the qualifying pregnancy
    - c. Member has an outpatient visit during the current measurement period **OR** an extended care visit during the current measurement period
  - **Pregnancy is defined by the clinical newest diagnosis of pregnancy minus 300 days**

▪ **Measure Exclusion:**

- Member has had a hysterectomy at any time prior to the beginning of the current measurement period **OR** the member is male, **OR** the member is in hospice care during the current measurement period

▪ **To Meet this Measure:**

- Member has a negative depression screening during the current measurement period **OR** member has a positive depression screening during the current measurement period
  - **AND meets the following:**
    - a. Member has a referral to mental health service during the measurement period **OR** member has a psychotherapy for depression during the current measurement period
  - **Positive depression screen: PHQ2 total score  $\geq 3$  OR PHQ9 total score  $\geq 5$  OR Edinburgh  $\geq 10$**
  - **Negative depression screen: PHQ2 total score  $< 3$  OR PHQ9 total score of  $< 5$  OR Edinburgh  $< 10$**

**14. HPV Immunization Status -** The proportion of persons in the registry population who have had 2 or more doses of the human papillomavirus vaccine (HPV) during the appropriate time frame.

- **Measure Inclusion Requirement:**
  - Members  $\geq 9$  and  $< \text{CRA}$  years of age as of the end of the current measurement period.
- **Measure Exclusion:**
  - Member has an HPV anaphylactic reaction to the vaccine or its components at any time **OR** member has an HPV allergy at anytime prior to the end of the current measurement period **OR** member has a condition of pregnancy without a pregnancy completion on the same date or after a pregnancy during the current measurement period **OR** member has a baker yeast allergy at any time prior to the end of the current measurement period
- **To Meet this Measure:**
  - Member falls into one of the following brackets:

### Immunocompetent 2 Dose

Gender	Age	HPV Dose 1	HPV Dose 2	HPV Dose 3	Valid Dose
Females	9 Years minus 4 days to 27 Years	0 Months	<del><math>\geq 3</math> Weeks and 3 Days</del> $\geq 5$ Months	N/A	First <i>HPV Vaccination</i> is a dose documented between <b>9 Years minus 4 days to 15 Years</b> of age  OR First HPV Vaccination is a dose documents $< 5$ Months <del>3-weeks and 3 days</del> from today's date. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.  OR Second HPV Vaccinations is a dose that documented between <b>9 Years minus 4 days to 27 Years</b> of age on separate dates of service $\geq 5$ Months <del>3-weeks and 3 days</del> apart from the immediate previous dose.
Males	9 Years minus 4 days to 22 Years	0 Months	<del><math>\geq 3</math> Weeks and 3 Days</del> $\geq 5$ Months	N/A	First <i>HPV Vaccination</i> is a dose documented between <b>9 Years minus 4 days to 15 Years</b> of age.  OR First HPV Vaccination is a dose documents $< 5$ Months <del>3-weeks and 3 days</del> from today's date. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.  OR Second <i>HPV Vaccinations</i> is a dose that documented between <b>9 Years minus 4 days to 22 Years</b> of age on separate dates of service $\geq 5$ Months <del>3-weeks and 3 days</del> apart from the immediate previous dose.

### Immunocompetent 2 Dose Corrective

Gender	Age	HPV Dose 1	HPV Dose 2	HPV Dose 3	Valid Dose
Females	9 Years minus 4 days to 27 Years	0 Months	<del><math>\geq 3</math> Weeks and 3 Days</del>	From Dose 1: $\geq 5$ Months minus 4 Days	First <i>HPV Vaccination</i> is a dose documented between <b>9 Years minus 4 days to 15 Years</b> . No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.

Gender	Age	HPV Dose 1	HPV Dose 2	HPV Dose 3	Valid Dose
			<i>From Immediate Previous Dose: <math>\geq 3</math> Weeks and 3 days to <math>&lt; 5</math> Months</i>	From Dose 2: $\geq 11$ Weeks and 3 Days	<p><b>OR Second Valid HPV Vaccination</b> is a dose documented between <i>9 Years minus 4 days to 27 Years AND <math>\geq 3</math> weeks and 3 days to <math>&lt; 5</math> Months <del>3-weeks and 3-days</del></i> from the immediate previous dose. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Third Valid HPV Vaccination</b> is a dose documented between <i>9 Years minus 4 days to 27 Years AND</i> given on separate dates of service <math>\geq 11</math> weeks and 3 days apart from the immediate previous dose AND <math>\geq 5</math> months minus 4 days from the First Valid Dose.</p>
Males	<i>9 Years minus 4 days to 22 Years</i>	0 Months	<del><math>&lt; 3</math> Weeks and 3 Days</del> <i>From Immediate Previous Dose: <math>\geq 3</math> Weeks and 3 days to <math>&lt; 5</math> Months</i>	<p>From Dose 1: <math>\geq 5</math> Months minus 4 Days</p> <p>From Dose 2: <math>\geq 11</math> Weeks and 3 Days</p>	<p>First Valid <b>HPV Vaccination</b> is a dose documented between <i>9 Years minus 4 days to 15 Years</i>. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Second Valid HPV Vaccination</b> is a dose documented between <i>9 Years minus 4 days to 22 Years AND <math>\geq 3</math> Weeks and 3 days to <math>&lt; 5</math> Months <del>3-weeks and 3-days</del></i> from the immediate previous dose. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Third Valid HPV Vaccination</b> is a dose documented between <i>9 Years minus 4 days to 22 Years AND</i> given on separate dates of service <math>\geq 11</math> weeks and 3 days apart from the immediate previous dose AND <math>\geq 6</math> months minus 3 days from the First Valid Dose.</p>



## Immunocompetent 3 Dose

Gender	Age	HPV Dose 1	HPV Dose 2	HPV Dose 3	Valid Dose
Females	<i>15 Years to 27 Years</i>	<b>0 Months</b>	<b>≥ 3 Weeks and 3 Days</b>	From Dose 1: <b>≥ 16 Weeks</b>  From Dose 2: <b>≥ 11 Weeks and 3 Days</b>	<p>Person has no <b>HPV Vaccinations</b> prior to 15<sup>th</sup> birthday and occurs between <b>15 Years to 27 Years</b> of age. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Second Valid HPV Vaccinations</b> is a dose documented between <b>15 Years to 27 Years</b> on separate dates of service <b>≥ 3 weeks and 3 days</b> apart from the immediate previous date. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Third Valid HPV Vaccinations</b> is a dose documented between <b>15 Years to 27 Years</b> on separate dates of service <b>≥ 11 weeks and 3 days</b> apart from the immediate previous dose <b>AND 16 weeks</b> from First Valid dose.</p>
Males	<i>15 Years to 22 Years</i>	0 Months	<b>≥ 3 Weeks and 3 Days</b>	From <b>Dose 1: ≥ 16 Weeks</b>  From <b>Dose 2: ≥ 11 Weeks and 3 Days</b>	<p>Person has no <b>HPV Vaccinations</b> prior to 15<sup>th</sup> birthday and occurs between <b>15 Years to 22 Years</b> of age. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Second Valid HPV Vaccinations</b> is a dose documented between <b>15 Years to 22 Years</b> on separate dates of service <b>≥ 3 weeks and 3 days</b> apart from the immediate previous date. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>OR Third Valid HPV Vaccinations</b> is a dose documented between <b>15 Years to 22 Years</b> on separate dates of service <b>≥ 11 weeks and 3 days</b> apart from the immediate previous dose <b>AND 16 weeks</b> from First Valid dose.</p>

## Immunocompromised

Gender	Age	HPV Dose 1	HPV Dose 2	HPV Dose 3	Valid Dose
Males & Females	<i>9 Years minus 4 days to 27 Years</i>	0 Months	$\geq 3$ Weeks and 3 Days	<b>From Dose 1: <math>\geq 16</math> Weeks</b> <b>From Dose 2: <math>\geq 11</math> Weeks and 3 Days</b>	<p>First Valid HPV Vaccination is a dose documented between 9 Years minus 4 days to 27 Years of age. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p>Second Valid HPV Vaccination is a dose documented between 0 Years minus 4 days to 27 Years of age on separate dates of service <math>\geq 3</math> weeks and 3 days apart from the immediate previous dose. No clinical action needed at this time due to valid vaccination spacing indications, person should be considered Met.</p> <p><b>Third Valid HPV Vaccinations</b> is a dose documented between <i>9 Years minus 4 days to 27 Years</i> of age on separate dates of service <math>\geq 11</math> weeks and 3 days apart from the immediate previous dose <b>AND <math>\geq 16</math> weeks</b> from first dose.</p>

### 15. Body Mass Index in Children - The proportion of members with a documented Body Mass Index (BMI) or BMI Percentile during the current measurement period.

- **Measure Inclusion Requirement:**
  - Members  $\leq 18$  years of age as of the last day of the current measurement period
- **Measure Exclusion:**
  - Members with condition of pregnancy during the time from today's date minus 365 days to today's date
- **To Meet this Measure:**
  - Member's age is  $< 16$ , member has documented BMI Percentile during the current measurement period **OR** If a member's age is  $\geq 16$ , member has documentation of any of the following during the current measurement period
    - BMI Value or BMI Percentile **OR** Calculated BMI

### 16. Preventive Care and Screening: Body Mass Index (BMI) Screening and follow-up plan (Criteria 1) - The proportion of members in the registry population with a documented Body Mass Index (BMI) result during the current measurement period.

- **Measure Inclusion Requirement:**
  - All members between  $\geq 18$  and  $< 65$  years of age as of the last day of the current measurement period.
- **Measure Exclusion:**
  - Members that have a pregnancy during the time frame from today's date minus 365 days to today's date **OR** exclusion reason BMI calculation during the current measurement period
- **To Meet this Measure:**
  - Member had one of the following documented:
    - Documented BMI result during the current measurement period **OR** member had a calculated BMI recorded during the current measurement period **OR** Body Mass Index result above normal during the current measurement period **OR** Body Mass Index result

below normal during the current measurement period **OR** BMI above normal with intervention during the current measurement period **OR** BMI below normal with intervention during the current measurement period **OR** BMI abnormal no follow-up during the current measurement period

**17. Preventive Care and Screening: Body Mass Index (BMI) Screening and follow-up plan (Criteria 2) -**

The proportion of persons in the registry population with a documented abnormal Body Mass Index (BMI) result and a documented Body Mass Index follow-up plan during the current measurement period. (Normal parameters for persons aged 65 years and older: BMI  $\geq 18.5$  and  $< 25$ ).

▪ **Measure Inclusion Requirement:**

- Members between  $\geq 65$  years of age as of the last day of the current measurement period
  - **AND meets the following:**
    - a. Member's most recent BMI or calculated BMI ( $<18.5$ ) result during the current measurement period **OR** member's most recent BMI or calculated BMI result ( $\geq 25$ ) during the current measurement period **OR** member has a documented BMI abnormal no follow-up during the current measurement period

▪ **Measure Exclusion:**

- Member have condition of pregnancy during the time frame from today's date minus 365 days to today's date **OR** exclusion reason BMI intervention documented within the current measurement period

▪ **To Meet this Measure:**

- Member's most recent BMI or calculated BMI ( $<18.5$ ) result during the current measurement period
  - **AND** BMI below normal with intervention during the current measurement period **OR** BMI below normal pharmacotherapy overlapping today's date
- **OR** Member's most recent BMI or calculated BMI result ( $\geq 25$ ) during the current measurement period
  - **AND** BMI above normal with intervention during the current measurement period **OR** BMI above normal pharmacotherapy overlapping today's date
- **OR** any of the following:
  - Referral to nutritionist or dietician during the current measurement period
  - **OR** Referral to physical activity program during the current measurement period
  - **OR** Referral to physician for BMI follow-up during the current measurement period
  - **OR** Education nutrition during the current measurement period
  - **OR** Education exercise during the current measurement period
  - **OR** Education weight management during the current measurement period
  - **OR** Referral to bariatric surgeon during the current measurement period
  - **OR** Bariatric surgery during the current measurement period
  - **OR** BMI follow-up plan during the current measurement period

**18. Use of Imaging Studies for Low Back pain:** The proportion of members in the registry population with an initial condition of low back pain who did not have an imaging study (plain X-ray, MRI, CT Scan) within 28 days of the low back pain condition during the current measurement period.

▪ **Measure Inclusion Requirement:**

- Member's age  $\geq 18$  and  $\leq 50$  years of age as of the last day of the current measurement period
  - **AND meets the following:**
    - a. A condition of low back pain during the current measurement period
    - b. Any of the following:

- i. Outpatient visit on the same date during the current measurement period **OR**  
 extended care visit on the same date during the current measurement period **OR**  
 Emergency visit on the same date during the current measurement period
- ii. If multiple visits/diagnoses exist, use the clinical oldest**

- **Measure Exclusion:**

- Member has condition of low back pain within 180 days prior to the first condition of low back pain in the current measurement period **OR** member has trauma during the current measurement period or the prior measurement period **OR** member has cancer during the current measurement or prior measurement period **OR** member has IV drug use during the current measurement period or the prior measurement period **OR** Member has neurological impairment during the current measurement period or the prior measurement period

- **To Meet this Measure:**

- Member did not have any of the following:
  - X-ray of lower spine within 28 days after the qualifying condition during the current measurement period
  - **OR** MRI of lower spine within 28 days after the qualifying condition during the current measurement period
  - **OR** CT scan of lower spine within 28 days after the qualifying condition during the current measurement period

**19. Childhood Immunization Status:** The proportion of members in the registry population with documentation of required CDC recommended vaccines. Vaccinations consists of: four diphtheria, tetanus and acellular pertussis (DTaP), three polio (IPV), one measles, mumps and rubella (MMR), three H influenza type B (HiB), three hepatitis B (HepB), one chicken pox (VZV), four pneumococcal conjugate (PCV), one hepatitis A (HepA), appropriate Rotavirus vaccination (either two dose or three Rotavirus doses), and two influenza doses by their second birthday. The measure calculates a rate for each vaccine and combines all vaccines rate to determine measure status.

- **Measure Inclusion Requirement:**

- All members  $\geq 1$  year of age and  $< 2$  years of age as of the last day of the current measurement period

- **Measure Exclusion:**

- No exclusion criteria for this measure

- **To Meet this Measure:**

- Member has received all vaccinations associated with CDC recommended vaccinations **OR** member has documented exclusions for each vaccination

**20. Hemoglobin A1c test for pediatric members -** The proportion of members who have received a HbA1c test during the past 6 months.

- **Measure Inclusion Requirement:**

- Member is  $< 19$  years of age as of the last day of the current measurement period
  - **AND** member has at least one of the following:
    - a. Member has a diagnosis of diabetes mellitus type 1 at any time prior to the end of the current measurement period
    - b. **OR** member has a problem of diabetes mellitus type 1 not in a resolved or inactive status at any time prior to the end of the current measurement period
    - c. **OR** member has a diagnosis of diabetes mellitus type 2 at any time prior to the end of the current measurement period
    - d. **OR** member has a problem of diabetes mellitus type 2 not in a resolved or inactive status at any time prior to the end of the current measurement period

- e. **OR** member has a diagnosis of diabetes mellitus type other at any time prior to the end of the current measurement period
- f. **OR** member has a problem of diabetes mellitus other not in a resolved or inactive status at any time prior to the end of the current measurement period
- **AND** member had at least one outpatient visit during the current measurement period or 2 years prior to the current measurement period.

- **Measure Exclusion:**

- No exclusion criteria for this measure

- **To Meet this Measure:**

- Member who had a HbA1c test performed during the past 6 months

**21. Illicit Drug Use Screening:** The proportion of members who have received an Illicit Drug Use Screening during the current measurement period.

- **Measure Inclusion Requirement:**

- Member  $\geq 9$  years of age as of the last day of the current measurement period

- **Measure Exclusion:**

- No exclusion criteria for this measure

- **To Meet this Measure:**

- Member has a documented illicit drug use test during the current measurement period **OR** member has a condition of drug use, abuse, or dependence documented during the current measurement period **OR** member has an illicit drug use screening documented during the current measurement period **OR** member has SBIRT drug documented during the current measurement period

**22. Alcohol Use Screening -** The proportion of members who have received an Alcohol Use Screening during the current measurement period.

- **Measure Inclusion Requirement:**

- Members  $\geq 9$  years of age as of the last day of the current measurement period

- **Measure Exclusion:**

- No exclusion criteria for this measure

- **To Meet this Measure:**

- Member has alcohol lab analysis documented within the current measurement period or prior measurement period
  - **OR** member has alcohol use screening CPTF documented within the current measurement period or prior measurement period
  - **OR** finding of alcohol non-use documented within the current measurement period or prior measurement period
  - **OR** finding of No-Risk-To-Health Alcohol Use documented within the current measurement period or prior measurement period
  - **OR** finding of Unhealthy alcohol use documented within the current measurement period or prior measurement period
    - a. **AND** member has a condition of alcohol use documented on the same day
  - **OR** finding of alcohol intake highest number one occasion documented within the current measurement period or prior measurement period
  - **OR** finding of alcohol intake number weekly documented within the current measurement period or prior measurement period
  - **OR** condition of alcohol abuse or dependence documented within the current measurement period or prior measurement period
  - **OR** finding of alcohol use documented within the current measurement period or prior measurement period

- **OR** finding of SBIRT Alcohol document within the current measurement period or prior measurement period
- **OR** alcohol use assessment documented within the current measurement period or prior measurement period
- **OR** MAST-Geriatric Screen documented within the current measurement period or prior measurement period
  - a. **AND** member  $\geq$  65 years on the same date as the qualifying MAST-Geriatric Screen