

**Examples of Monkeypox Exposure
by contact with someone who has the virus**

HIGHEST EXPOSURE:

- Bare skin-to-skin contact with infectious rash, scabs or bodily fluids
- Sexual contact
- Other intimate skin-to-skin contact: such as kissing, massage or cuddling

SOME EXPOSURE:

- Crowds where people aren't wearing much clothing with a lot of skin-to-skin contact
- Sharing drinks, utensils, cigarettes, vapes, pipes, etc.
- Sharing towels, bed linens, or other personal items
- Exposure to respiratory droplets through prolonged face-to-face contact with no mask use

UNLIKELY EXPOSURE:

- Crowds where people are mostly clothed, not much skin-to-skin contact
- Shaking hands with someone with no visible rash
- Shopping at the grocery store or mall
- Traveling by bus, train or plane or using public restrooms
- Trying on clothing at a store



Public Health
Prevent. Promote. Protect.

Hill County Health Department

**Community
Monkeypox
Guidance Pocket
Guide**

Testing for monkeypox requires a visit with a healthcare provider. Contact your primary care provider if you are concerned of symptoms or exposure.

Visit our website for information on vaccination qualifications:



SCAN ME

MTDPHHS information on current statewide case numbers:



SCAN ME

**Examples of Monkeypox Exposure
by contact with someone who has the virus**

HIGHEST EXPOSURE:

- Bare skin-to-skin contact with infectious rash, scabs or bodily fluids
- Sexual contact
- Other intimate skin-to-skin contact: such as kissing, massage or cuddling

SOME EXPOSURE:

- Crowds where people aren't wearing much clothing with a lot of skin-to-skin contact
- Sharing drinks, utensils, cigarettes, vapes, pipes, etc.
- Sharing towels, bed linens, or other personal items
- Exposure to respiratory droplets through prolonged face-to-face contact with no mask use

UNLIKELY EXPOSURE:

- Crowds where people are mostly clothed, not much skin-to-skin contact
- Shaking hands with someone with no visible rash
- Shopping at the grocery store or mall
- Traveling by bus, train or plane or using public restrooms
- Trying on clothing at a store



Public Health
Prevent. Promote. Protect.

Hill County Health Department

**Community
Monkeypox
Guidance Pocket
Guide**

Testing for monkeypox requires a visit with a healthcare provider. Contact your primary care provider if you are concerned of symptoms or exposure.

Visit our website for information on vaccination qualifications:



SCAN ME

MTDPHHS information on current statewide case numbers:



SCAN ME

**Examples of Monkeypox Exposure
by contact with someone who has the virus**

HIGHEST EXPOSURE:

- Bare skin-to-skin contact with infectious rash, scabs or bodily fluids
- Sexual contact
- Other intimate skin-to-skin contact: such as kissing, massage or cuddling

SOME EXPOSURE:

- Crowds where people aren't wearing much clothing with a lot of skin-to-skin contact
- Sharing drinks, utensils, cigarettes, vapes, pipes, etc.
- Sharing towels, bed linens, or other personal items
- Exposure to respiratory droplets through prolonged face-to-face contact with no mask use

UNLIKELY EXPOSURE:

- Crowds where people are mostly clothed, not much skin-to-skin contact
- Shaking hands with someone with no visible rash
- Shopping at the grocery store or mall
- Traveling by bus, train or plane or using public restrooms
- Trying on clothing at a store



Public Health
Prevent. Promote. Protect.

Hill County Health Department

**Community
Monkeypox
Guidance Pocket
Guide**

Testing for monkeypox requires a visit with a healthcare provider. Contact your primary care provider if you are concerned of symptoms or exposure.

Visit our website for information on vaccination qualifications:



SCAN ME

MTDPHHS information on current statewide case numbers:



SCAN ME

MONKEYPOX

VISUAL EXAMPLES OF MONKEYPOX RASH




Photo Credit: NHS England High Consequence Infectious Diseases Network



CS228947-EK

MONKEYPOX VIRUS SYMPTOMS

ILLNESS LASTS FOR 2-4 WEEKS



MONKEYPOX

VISUAL EXAMPLES OF MONKEYPOX RASH




Photo Credit: NHS England High Consequence Infectious Diseases Network



CS228947-EK

MONKEYPOX VIRUS SYMPTOMS

ILLNESS LASTS FOR 2-4 WEEKS



MONKEYPOX

VISUAL EXAMPLES OF MONKEYPOX RASH



Photo Credit: NHS England High Consequence Infectious Diseases Network



CS228947-EK

MONKEYPOX VIRUS SYMPTOMS

ILLNESS LASTS FOR 2-4 WEEKS

