

CHARLIE BRERETON
DIRECTOR

May 22, 2025

## Emergency Medical Services Advisory Committee Meeting Summary May 22, 2025

Call to Order

Dr. Kremkau called the meeting to order

Attendance: See attendance table

Dr. Kremkau - Chair Report

Discussion and Action Items

Sam Hunthausen – ECP Project/BOME Update

- History of projects
- Provided overview of ECP Practice Guidelines and Scope of Practice documents project.
- Implementation plan overview:
  - o 8/1/25: Target for effective date
    - Scope of Practice
    - Clinical Guidelines
    - Competency sheets
    - Notice to go out first week of June to medical directors and service managers
    - Sept. EMS Managers Meeting presentation
- SB518 Overview Effective date 1/1/2026
  - o Transfers licensing of ECPs from BOME to a DofL program
  - o Compare 37.1-131 MCA (Duties of Boards) to 37-1-401 MCA (Licensing Programs without Boards)
  - o Rule writing for SB518 probably Fall of 2025

Dr. Cook-Shimanek – Endorsement Project Discussion

- EMT Airway Endorsement
  - o Change Advanced Airway to Supraglottic Airway
  - o Allow Supraglottic Airways for all ages
  - o Remove D10 from the EMT IV/IO Endorsement
  - $\circ$   $\;$  Remove ASA and Glucose from the EMT Medication Endorsement because it is in the current scope of practice for the EMT

Hannah Yang, Epidemiologist provided a tour of the new Montana EMS Dashboard

Terry Mullins, EMS Section Supervisor, provided a legislative update.

GREG GIANFORTE GOVERNOR



CHARLIE BRERETON
DIRECTOR

## EMS Program Updated provided by Shari Graham

- EMS Rule Change Hearing, Amendment of ARM 37.104.501 and 37.104.518 scheduled for 6/26/25 at 10:00 a.m.
- Flex Supplement grant update initial leadership academy modules are ready for service managers to complete
- EMSC Carter Kit project
- TSII Update

Janet Trethewey provided CARES Annual Report

## Member Roundtable

Alyssa Johnson, Trauma System Manager provided an overview of the Montana Big Criteria

Next meeting – Wednesday, August 20, 10:00 a.m. – 2:00 p.m.