

ICD 10 Procedure Code Cheat Sheet 2023

| Airway and Breathing | ICD10 Procedure Code |
|--|-----------------------|
| Oxygen | 3E0F7GC |
| Continuous Oxygen Monitoring/SpO2 | 4A04XR1 |
| Nasal Airway | 09HN7BZ |
| Oral Airway | 0WH30YZ |
| King Tube/LMA/Igel/Combitube | 0BH17EZ |
| Bag valve mask (BVM) | 5A19054 |
| Intubation | 0BH17EZ |
| Respiratory Ventilation < 24 hours | 5A1935Z |
| CPAP < 24 hours | 5A09357 |
| BIPAP | 5A09358 |
| BIPAP <24 hours | 5A09358 |
| Suction | 0WC3XZZ |
| Cryothyroidotomy percutaneous approach | 0B113F4 |
| Cryothyroidotomy open approach | 0B110F4 |
| ABG | 4A03XR1 |
| Needle thoracostomy, left | 0B9P0ZZ |
| Needle thoracostomy, right | 0B9N0ZZ |
| Chest tube, left | 0W9B30Z |
| Chest tube, right | 0W9930Z |
| Circulation and Interventions | ICD10 Procedure Code |
| CPR | 5A12012 |
| Lucas Device/Continuous CPR | 5A1221Z |
| Pericardiocentesis | 6A150ZZ |
| Defibrillation | 5A2204Z |
| Cardiac Monitor | 4A12X4Z |
| EKG | 4A02X4Z |
| Warm blankets/Bair Hugger | 6A3Z0ZZ |
| IV peripheral right lower arm | 0XHD03Z |
| IV peripheral left lower arm | 0XHF33Z |
| IV peripheral right hand | 0XHJ03Z |
| IV peripheral left hand | 05HC33Z |
| IV peripheral right upper arm | 0XH833Z |
| IV peripheral left upper arm | 0XH933Z |
| Intraosseous IV (IO) | 3E0A3GC |
| Moderate Sedation procedure | 3E033NZ |
| Immobilization and Splinting | ICD 10 Procedure Code |
| Backboard/KED placement | 2W35XYZ |
| Backboard Removed | 2W35XYZ |
| Cervical Collar placement | 2W55XYZ |
| Cervical Collar Removed | 2W32XYZ |
| Pelvic Binder - right | 0QS2XZZ |
| Pelvic Binder – left | 0QS3XZZ |
| Splint – left upper extremity | 2W39X1Z |
| Splint – right upper extremity | 2W38X1Z |
| Splint – right lower arm | 2W3CX1Z |

ICD 10 Procedure Code Cheat Sheet 2023

| Immobilization and Splinting (continued) | ICD 10 Procedure Code |
|--|-----------------------|
| Splint -left lower arm | 2W3DX1Z |
| Splint – left lower extremity | 2W3MX1Z |
| Splint – right lower extremity | 2W3LX1Z |
| Splint – left upper leg | 2W3PX1Z |
| Splint – right upper leg | 2W3NX1Z |
| Splint – left lower leg | 2W3MX1Z |
| Splint – right lower leg | 2W3QX1Z |
| Splint – traction left (Hare, Sager, Bucks, KTD, Slishman) | 2W6MXZZ |
| Tourniquet – left upper extremity | 0X373ZZ |
| Tourniquet – right upper extremity | 0X363ZZ |
| Tourniquet – left lower extremity | 0Y380ZZ |
| Tourniquet – right lower extreimity | 0Y393ZZ |
| Tube Placement | ICD 10 Procedure Code |
| Nasogastric Tube (NG) | 0D96702 |
| Oral gastric Tube (OG) | 0DH673Z |
| Foley/straight catheter | 0T9B70Z |

| Lab work | ICD 10 Procedure Code |
|-----------------------------------|-----------------------|
| General Lab draw | 059Y3ZZ |
| Urinalysis | 0T9D7ZX |
| Blood Administration | ICD 10 Procedure Code |
| PRBC | 30230N1 |
| Fresh Plasma | 30233L1 |
| Fresh Frozen Plasma | 30233K1 |
| Platelets | 30233R1 |
| Cryoprecipitate | 30233M1 |
| TXA | 3E033KZ |
| Platelet Inhibitor by IV | 3E030PZ |
| Medications | ICD 10 Procedure Code |
| Antibiotics- IV peripheral | 3E03329 |
| Antibiotics- IV central line | 3E043GQ |
| Tetanus | 3E0234Z |
| Nebulized medications | 3E0F7GC |
| Analgesic IV | 3E030NZ |
| Analgesic – IO | 3E0A3GC |
| Analgesic – IM | 3E023NZ |
| Sedative IV | 3E030NZ |
| Fluids – IV | 3E033KZ |
| Vasopressor Agents | 3E033XZ |
| Other Therapeutic substance by IV | 3E030GC |
| Magnetic Resonance Imaging (MRI) | ICD 10 Procedure Code |
| Brain MRI | B030ZZZ |
| Cervical Spine MRI | BR30ZZZ |

ICD 10 Procedure Code Cheat Sheet 2023

| | |
|--|---|
| Lumbar Spine MRI | BR39ZZZ |
| Thoracic Spine MRI | BR37ZZZ |
| Spinal Cord MRI | B03BZZZ |
| Computerized Axial Tomography (CAT Scan) | ICD 10 Procedure Code |
| CT Head w/o contrast | BW28ZZZ |
| CT Head with contrast (high/low/other) | BW280ZZ/BW281ZZ/BW28YZZ |
| CT Head & Neck w/o contrast | BW29ZZZ |
| CT Head & Neck with contrast (high/low/other) | BW290ZZ/BW291ZZ/BW29YZZ |
| CT Facial Bones | BN25ZZZ |
| CT Neck (C-spine) w/o contrast | BR20ZZZ |
| CT Neck (C-spine) with contrast (high/low/other) | BR200ZZ/BR201ZZ/ BR20YZZ |
| CT T-spine w/o contrast & (high/low/other) | BR27ZZZ/BR270ZZ, BR271ZZ, BR27YZZ |
| CT L-spine w/o contrast & (high/low/other) | BR29ZZZ, BR290ZZ, BR291ZZ, BR29YZZ |
| CT Chest/Thorax with contrast (high/low/other) | BW240ZZ/BW241ZZ/BP2WYZZ |
| CT chest and ABD w/o contrast & (high/low/other) | BW24ZZZ, BW240ZZ, BW241ZZ, BW24YZZ |
| CT Abdomen w/o contrast | BW20ZZZ |
| CT Abdomen with contrast (high/low/other) | BW200ZZ/BW201ZZ/BW20YZZ |
| CT Pelvis Region w/o contrast | BW2GZZZ |
| CT Pelvis Region with contrast (high/low/other) | BW2G0ZZ/BW2G1ZZ/BW2GYZZ |
| CT Abdomen and Pelvis w/o contrast | BW21ZZZ |
| CT Abdomen and Pelvis with contrast (high/low/other) | BW210ZZ/BW211ZZ/BW21YZZ |
| CT Chest Abdomen Pelvis w/o contrast | BW25ZZZ |
| CT chest Abdomen Pelvis with contrast (high/low/other) | BW250ZZ/BW251ZZ/BW25YZZ |
| Ultrasound | ICD 10 Procedure Code |
| FAST Ultrasound | BW40ZZZ |
| Abdomen | BW40ZZZ |
| Bladder | BT10ZZZ |
| Heart (Echo) | B246ZZZ |
| Lower Extremity | BH48ZZZ |
| Head/Neck | BH4CZZZ |
| Sutures | ICD 10 Procedure Code |
| Suture placement | "OHQ___ then break down by body region under "Repair" |
| Wound Care and Dressings | ICD 10 Procedure Code |
| Head pressure dressing | 2W10X6Z |
| Abdominal wall pressure dressing | 2W13X6Z |
| Chest wall pressure dressing | 2W14X6Z |
| Left upper arm pressure dressing | 2W0BX6Z |
| Right upper arm pressure dressing | 2W1AX6Z |
| Left lower arm pressure dressing | 2W29X4Z |
| Right lower arm pressure dressing | 2W0CX6Z |
| Left upper leg pressure dressing | 2W0PX6Z |
| Right upper leg pressure dressing | 2W1NX6Z |

ICD 10 Procedure Code Cheat Sheet 2023

| | |
|---|---------|
| Left lower extremity pressure dressing | 2W0MX6Z |
| Right lower extremity pressure dressing | 2W0SX6Z |

| X-Rays | ICD 10 Procedure Code |
|------------------------------|-----------------------|
| Skull | BN00ZZZ |
| Chest | BW03ZZZ |
| Right Clavicle | BP04ZZZ |
| Left Clavicle | BP05ZZZ |
| Sternum | BR0HZZZ |
| Right Ribs | BPOXZZZ |
| Left Ribs | BPOYZZZ |
| C-spine | BR00ZZZ |
| T-spine | BR07ZZZ |
| LS-spine | BR09ZZZ |
| Abdomen | BW00ZZZ |
| Pelvis | BR0CZZZ |
| Abdomen/Pelvis Plain X-ray | BW01ZZZ |
| Right Shoulder | BP08ZZZ |
| Left Shoulder | BP09ZZZ |
| Right Forearm | BP0JZZZ |
| Left Forearm | BP0KZZZ |
| Right Elbow | BP0GZZZ |
| Left Elbow | BP0HZZZ |
| Right Wrist | BP0LZZZ |
| Left Wrist | BP0MZZZ |
| Right Hand | BP0NZZZ |
| Left Hand | BP0PZZZ |
| Right Hip | BQ00ZZZ |
| Left Hip | BQ01ZZZ |
| Right Femur | BQ03ZZZ |
| Left Femur | BQ04ZZZ |
| Right Knee | BQ07ZZZ |
| Left Knee | BQ08ZZZ |
| Right Tibia | BQ0DZZZ |
| Left Tibia | BQ0FZZZ |
| Right Ankle | BQ0HZZZ |
| Left Ankle | BQ0GZZZ |
| Right Foot | BQ0LZZZ |
| Left Foot | BQ0MZZZ |
| Long Bone Survey Plain X-ray | BW0BZZZ |
| Right lower leg | BW0BZZZ |
| Left lower leg | BQ0DZZZ |
| Skeletal Survey | BW0LZZZ |
| Infant Skeletal Survey | BW0MZZZ |

ICD 10 Procedure Code Cheat Sheet 2023

| | |
|-----------------|---------|
| Right Upper Arm | BPOEZZZ |
| Left Upper Arm | BPOFZZZ |

| Least used diagnoses and what to say in narrative section of Injury coding |
|--|
| Burn 2 nd or 3 rd degree: partial or full thickness: TBSA LT 10% |
| Burn 2 nd or 3 rd degree: partial or full thickness: TBSA 20-29% |
| Burn 2 nd or 3 rd degree – TBSA 10-19% LT 5 yo |
| Burn 2 nd or 3 rd degree partial or full thickness: TBSA 30-39% |
| Burn 3 rd Degree full thickness TBSA LEQ 100cm or face LEQ 25cm |
| Burn 3 rd degree full thickness TBSA GT 100 cm and LT 10% or face GT 25cm |
| Frostbite deep; full thickness |
| Frostbite deep; full thickness multiple body sites |
| Degloving injury to xxxxxxxxx |
| Asphyxia/suffocation wo neuro (hanging) |
| Asphyxia/suffocation w neuro (hanging) |
| Asphyxia/suffocation w cardiac arrest (hanging) |
| Drowning- near drowning – wo neuro |
| Drowning near drowning w neuro |
| Drowning 2 cardiac arrest |
| Electrical inj – w muscle necrosis |
| Electrical in – w cardiac arrest |