

# DPHHS HAN

## UPDATE

### Cover Sheet



#### DATE

January 22, 2020

#### SUBJECT

Update and Interim Guidance on Outbreak of 2019 Novel Coronavirus (2019-nCoV) in Wuhan, China.

#### INSTRUCTIONS

***DISTRIBUTE*** to your local HAN contacts. This HAN is intended for general sharing of information.

- Time for Forwarding: **As Soon As Possible**
- Please forward to DPHHS at [hhshan@mt.gov](mailto:hhshan@mt.gov)
- Remove this cover sheet before redistributing and replace it with your own

For LOCAL HEALTH  
DEPARTMENT reference only  
DPHHS Subject Matter Resource for  
more information regarding this HAN,  
contact:

DPHHS CDCP

Epidemiology Section  
1-406-444-0273

*For technical issues related to the HAN  
message contact the Emergency  
Preparedness Section  
at 1-406-444-0919*

DPHHS Health Alert Hotline:  
1-800-701-5769

DPHHS HAN Website:  
[www.han.mt.gov](http://www.han.mt.gov)

## REMOVE THIS COVER SHEET BEFORE REDISTRIBUTING AND REPLACE IT WITH YOUR OWN

Please ensure that DPHHS is included on your HAN distribution list.  
[hhshan@mt.gov](mailto:hhshan@mt.gov)

#### Categories of Health Alert Messages:

**Health Alert:** conveys the highest level of importance; warrants immediate action or attention.

**Health Advisory:** provides important information for a specific incident or situation; may not require immediate action.

**Health Update:** provides updated information regarding an incident or situation; unlikely to require immediate action.

**Information Service:** passes along low level priority messages that do not fit other HAN categories and are for informational purposes only.

Please update your HAN contact information on the Montana Public Health Directory

# DPHHS HAN

## Information Sheet



### DATE

January 22, 2020

### SUBJECT

Update and Interim Guidance on Outbreak of 2019 Novel Coronavirus (2019-nCoV) in Wuhan, China

### BACKGROUND

CDC continues to monitor an outbreak of 2019 novel coronavirus (2019-nCoV) in Wuhan City, China. The situation is continuing to evolve, but to date, nearly 500 cases have been identified with a small number of cases reported from additional countries. Most cases have been associated with a large seafood and animal market, but more recently limited evidence of human to human transmission has been reported, including additional cases in Thailand and Japan who had travelled to Wuhan City. No confirmed transmission has been reported among healthcare personnel caring for outbreak patients at this time. In addition, CDC announced that the first U.S. case of 2019-nCoV was identified in Washington State in an individual who had travelled to Wuhan City, China.

### INFORMATION

The situation is ongoing and additional guidance will be provided as it is received from CDC. In addition, attached to this message is an example of the coronavirus informational postcards that are given to those screened upon re-entry to the U.S. More information on coronavirus and the ongoing outbreak can also be viewed on the CDC website: <https://www.cdc.gov/coronavirus/2019-nCoV/summary.html>.

### RECOMMENDATIONS

#### Healthcare Providers

Healthcare providers should obtain a detailed travel history for patients being evaluated with fever and acute respiratory illness. Travel histories need to include specific dates and locations of concern to allow for proper evaluation.

#### Criteria to Guide Evaluation of Patients Under Investigation (PUI) for 2019-nCoV

Patients in the United States who meet the following criteria should be evaluated as a PUI in association with the outbreak of 2019-nCoV in Wuhan City, China.

- 1) Fever AND symptoms of lower respiratory illness (e.g., cough, shortness of breath) –and in the last 14 days before symptom onset:
  - a. History of travel from Wuhan City, China -or-
  - b. Close contact with a person who is under investigation for 2019-nCoV while that person was ill.
- 2) Fever OR symptoms of lower respiratory illness (e.g., cough, shortness of breath) –and in the last 14 days before symptom onset:
  - a. Close contact with an ill laboratory-confirmed 2019-nCoV patient.

Patients should be evaluated and discussed with public health departments on a case-by-case basis. The criteria are intended to serve as guidance for evaluation. The above criteria are also available at:

<https://www.cdc.gov/coronavirus/novel-coronavirus-2019/clinical-criteria.html>

### Reporting, Testing, and Specimen Collection

Healthcare providers should *immediately* notify both infection control personnel at their healthcare facility *and their local health department* in the event of a Person Under Investigation (PUI) for 2019-nCoV. CDC is currently the only laboratory in the U.S. with the capability of testing for 2019-nCoV.

*Local health departments will gather needed information and consult with the state public health officials regarding the need for further actions, including possible consultation and testing by the CDC.*

*For biosafety reasons, it is not recommended to perform virus isolation in cell culture or initial characterization of viral agents recovered in cultures of specimens from a PUI for 2019-nCoV.*

### Interim Healthcare Infection Prevention and Control for Patients Under Investigation for 2019-nCoV

Although the transmission dynamics have yet to be determined, CDC currently recommends a cautious approach to patients under investigation for 2019-nCoV: <https://www.cdc.gov/coronavirus/2019-nCoV/clinical-criteria.html>

- Such patients should be asked to wear a surgical mask as soon as they are identified and be evaluated in a private room with the door closed, ideally an airborne infection isolation room if available.
- Healthcare personnel entering the room should use standard precautions, contact precautions, airborne precautions, and use eye protection (e.g., goggles or a face shield).
- Immediately notify your healthcare facility's infection control personnel and local health department.

### **Additional Infection Control Practices Resources**

Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings:

<https://www.cdc.gov/infectioncontrol/guidelines/isolation/index.html>

# **This is an official CDC HEALTH UPDATE**

Distributed via the CDC Health Alert Network  
January 17, 2020, 2030 ET (8:30 PM ET)  
CDCHAN-00426

## **Update and Interim Guidance on Outbreak of 2019 Novel Coronavirus (2019-nCoV) in Wuhan, China**

### **Summary**

The Centers for Disease Control and Prevention (CDC) continues to closely monitor an outbreak of a 2019 novel coronavirus (2019-nCoV) in Wuhan City, Hubei Province, China that began in December 2019. CDC has established an Incident Management System to coordinate a domestic and international public health response.

Coronaviruses are a large family of viruses. Some cause illness in people; numerous other coronaviruses circulate among animals, including camels, cats, and bats. Rarely, animal coronaviruses can evolve and infect people and then spread between people such as has been seen with Middle Eastern Respiratory Syndrome Coronavirus (MERS-CoV) (<https://www.cdc.gov/coronavirus/mers/index.html>) and Severe Acute Respiratory Syndrome Coronavirus (SARS-CoV) (<https://www.cdc.gov/sars/index.html>).

Chinese authorities report most patients in the Wuhan City outbreak have been epidemiologically linked to a large seafood and animal market, suggesting a possible zoonotic origin to the outbreak. Chinese authorities additionally report that they are monitoring several hundred healthcare workers who are caring for outbreak patients; no spread of this virus from patients to healthcare personnel has been reported to date. Chinese authorities are reporting no ongoing spread of this virus in the community, but they cannot rule out that some limited person-to-person spread may be occurring. China has reported that two of the patients have died, including one with pre-existing medical conditions. Chinese health officials publicly posted the genetic sequence of the 2019-nCoV on January 12, 2020. This will facilitate identification of infections with this virus and development of specific diagnostic tests.

Thailand and Japan have confirmed additional cases of 2019-nCoV in travelers from Wuhan, China. It is possible that more cases will be identified in the coming days. This is an ongoing investigation and given previous experience with MERS-CoV and SARS-CoV, it is possible that person-person spread may occur. There is much more to learn about the transmissibility, severity, and other features associated with 2019-nCoV as the investigations in China, Thailand, and Japan continue. Additional information about this novel virus is needed to better inform population risk.

This HAN Update provides a situational update and guidance to state and local health departments and healthcare providers that supersedes guidance in CDC's HAN Advisory 424 distributed on January 8, 2020. This HAN Update adds guidance for evaluation of patients under investigation (PUI) for 2019-nCoV, prevention and infection control guidance, including the addition of an eye protection recommendation, and additional information on specimen collection.

### **Background**

An outbreak of pneumonia of unknown etiology in Wuhan City was initially reported to WHO on December 31, 2019. Chinese health authorities have confirmed more than 40 infections with a novel coronavirus as the cause of the outbreak. Reportedly, most patients had epidemiological links to a large seafood and animal market. The market was closed on January 1, 2020. Currently, Chinese health authorities report no community spread of this virus, and no transmission among healthcare personnel

caring for outbreak patients. No additional cases of infection with 2019-nCoV have been identified in China since January 3, 2020.

On January 13, 2020 public health officials in Thailand confirmed detection of a human infection with 2019-nCoV in a traveler from Wuhan, China. This was the first confirmed case of 2019-nCoV documented outside China. On January 17, 2020 a second case was confirmed in Thailand, also in a returned traveler from Wuhan City. On January 15, 2020 health officials in Japan confirmed 2019-nCoV infection in a returned traveler from Wuhan City. These persons had onset dates after January 3, 2020. These cases did not report visiting the large seafood and animal market to which many cases in China have been linked.

On January 11, 2020, CDC updated the level 1 travel health notice (“practice usual precautions”) for Wuhan City, Hubei Province, China with additional information (originally issued on January 6, 2020): <https://wwwnc.cdc.gov/travel/notices/watch/novel-coronavirus-china>.

### **Recommendations for Healthcare Providers**

Limited information is available to characterize the spectrum of clinical illness associated with 2019-nCoV. No vaccine or specific treatment for 2019-nCoV infection is available; care is supportive.

The CDC clinical criteria for a 2019-nCoV patient under investigation (PUI) have been developed based on what is known about MERS-CoV and SARS-CoV and are subject to change as additional information becomes available.

Healthcare providers should obtain a detailed travel history for patients being evaluated with fever and acute respiratory illness. CDC guidance for evaluating and reporting a PUI for MERS-CoV remains unchanged.

### **Criteria to Guide Evaluation of Patients Under Investigation (PUI) for 2019-nCoV**

Patients in the United States who meet the following criteria should be evaluated as a PUI in association with the outbreak of 2019-nCoV in Wuhan City, China.

- 1) Fever<sup>1</sup> AND symptoms of lower respiratory illness (e.g., cough, shortness of breath)  
–and in the last 14 days before symptom onset,
  - History of travel from Wuhan City, China–or–
  - Close contact<sup>2</sup> with a person who is under investigation for 2019-nCoV while that person was ill.
- 2) Fever<sup>1</sup> OR symptoms of lower respiratory illness (e.g., cough, shortness of breath)  
–and in the last 14 days before symptom onset,
  - Close contact<sup>2</sup> with an ill laboratory-confirmed 2019-nCoV patient.

The above criteria are also available at <https://www.cdc.gov/coronavirus/novel-coronavirus-2019/clinical-criteria.html>. The criteria are intended to serve as guidance for evaluation. Patients should be evaluated and discussed with public health departments on a case-by-case basis if their clinical presentation or exposure history is equivocal (e.g., uncertain travel or exposure).

### **Recommendations for Reporting, Testing, and Specimen Collection**

Healthcare providers should **immediately** notify both infection control personnel at their healthcare facility and their local or state health department in the event of a PUI for 2019-nCoV. State health departments that have identified a PUI should immediately contact CDC’s Emergency Operations Center (EOC) at 770-488-7100 and complete a 2019-nCoV PUI case investigation form available at <https://www.cdc.gov/coronavirus/novel-coronavirus-2019/downloads/pui-form.pdf>. CDC’s EOC will assist local/state health departments to collect, store, and ship specimens appropriately to CDC, including during afterhours or on weekends/holidays. At this time, diagnostic testing for 2019-nCoV can be conducted only at CDC. Testing for other respiratory pathogens should not delay specimen shipping to

CDC. If a PUI tests positive for another respiratory pathogen, after clinical evaluation and consultation with public health authorities, they may no longer be considered a PUI. This may evolve as more information becomes available on possible 2019 nCoV co-infections.

**For biosafety reasons, it is not recommended to perform virus isolation in cell culture or initial characterization of viral agents recovered in cultures of specimens from a PUI for 2019-nCoV.** To increase the likelihood of detecting 2019-nCoV infection, CDC recommends collecting and testing multiple clinical specimens from different sites, including all three specimen types—lower respiratory, upper respiratory, and serum specimens. Additional specimen types (e.g., stool, urine) may be collected and stored. Specimens should be collected as soon as possible once a PUI is identified regardless of time of symptom onset. Additional guidance for collection, handling, and testing of clinical specimens is available at <https://www.cdc.gov/coronavirus/2019-nCoV/>.

### **Interim Healthcare Infection Prevention and Control Recommendations for Patients Under Investigation for 2019-nCoV**

Although the transmission dynamics have yet to be determined, CDC currently recommends a cautious approach to patients under investigation for 2019-nCoV (<https://www.cdc.gov/coronavirus/2019-nCoV/clinical-criteria.html>). Such patients should be asked to wear a surgical mask as soon as they are identified and be evaluated in a private room with the door closed, ideally an airborne infection isolation room if available. Healthcare personnel entering the room should use standard precautions, contact precautions, airborne precautions, and use eye protection (e.g., goggles or a face shield). Immediately notify your healthcare facility's infection control personnel and local health department.

### **Additional Infection Control Practices Resources**

- Guideline for Isolation Precautions: Preventing Transmission of Infectious Agents in Healthcare Settings (<https://www.cdc.gov/infectioncontrol/guidelines/isolation/index.html>)

### **Notes**

<sup>1</sup>Fever may not be present in some patients, such as those who are very young, elderly, immunosuppressed, or taking certain fever-lowering medications. Clinical judgment should be used to guide testing of patients in such situations.

<sup>2</sup>Close contact with a person who is under investigation for 2019-nCoV.

Close contact is defined as—

a) being within approximately 6 feet (2 meters), or within the room or care area, of a novel coronavirus case for a prolonged period of time while not wearing recommended personal protective equipment or PPE (e.g., gowns, gloves, NIOSH-certified disposable N95 respirator, eye protection); close contact can include caring for, living with, visiting, or sharing a healthcare waiting area or room with a novel coronavirus case.

— or —

b) having direct contact with infectious secretions of a novel coronavirus case (e.g., being coughed on) while not wearing recommended personal protective equipment.

See CDC's [Interim Healthcare Infection Prevention and Control Recommendations for Patients Under Investigation for 2019 Novel Coronavirus](https://www.cdc.gov/coronavirus/2019-nCoV/infection-control.html) (<https://www.cdc.gov/coronavirus/2019-nCoV/infection-control.html>).

Data to inform the definition of close contact are limited. Considerations when assessing close contact include the duration of exposure (e.g., longer exposure time likely increases exposure risk) and the clinical symptoms of the person with novel coronavirus (e.g., coughing likely increases exposure risk as does exposure to a severely ill patient). Special consideration should be given to those exposed in healthcare settings.

### **For More Information**

More information is available at <https://cdc.gov/coronavirus/2019-ncov/index.html> or by calling 800-CDC-INFO | (800-232-4636) | TTY: (888) 232-6348

*The Centers for Disease Control and Prevention (CDC) protects people's health and safety by preventing and controlling diseases and injuries; enhances health decisions by providing credible information on critical health issues; and promotes healthy living through strong partnerships with local, national, and international organizations.*

---

**Categories of Health Alert Network messages:**

**Health Alert** Requires immediate action or attention; highest level of importance  
**Health Advisory** May not require immediate action; provides important information for a specific incident or situation  
**Health Update** Unlikely to require immediate action; provides updated information regarding an incident or situation  
**HAN Info Service** Does not require immediate action; provides general public health information

##This message was distributed to state and local health officers, state and local epidemiologists, state and local laboratory directors, public information officers, epidemiologists, HAN coordinators, and clinician organizations##



## 健康预警：来自中国武汉的旅客请注意

近期，在中国武汉爆发了一种由新型冠状病毒所引起的肺炎。

如果您在过去两周内曾到过武汉，并出现发烧，咳嗽，或呼吸困难的症状，请立即与医生联系。

- ✓ 请在看医生或去急诊室之前打电话咨询。
- ✓ 告知医生您的症状，并让医生知道您曾到过武汉。
- ✓ 请把此卡片交给医生。

分诊人员/临床医生:

- ✓ 请采取标准预防，接触隔离，空气传播预防，以及眼部防护措施。
- ✓ 请立即通知传染病防控机构和您所在州/地方的卫生部门。

详细信息请参见[www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)



---

## 健康预警：来自中国武汉的旅客请注意

近期，在中国武汉爆发了一种由新型冠状病毒所引起的肺炎。

如果您在过去两周内曾到过武汉，并出现发烧，咳嗽，或呼吸困难的症状，请立即与医生联系。

- ✓ 请在看医生或去急诊室之前打电话咨询。
- ✓ 告知医生您的症状，并让医生知道您曾到过武汉。
- ✓ 请把此卡片交给医生。

分诊人员/临床医生:

- ✓ 请采取标准预防，接触隔离，空气传播预防，以及眼部防护措施。
- ✓ 请立即通知传染病防控机构和您所在州/地方的卫生部门。

详细信息请参见[www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)



---

## 健康预警：来自中国武汉的旅客请注意

近期，在中国武汉爆发了一种由新型冠状病毒所引起的肺炎。

如果您在过去两周内曾到过武汉，并出现发烧，咳嗽，或呼吸困难的症状，请立即与医生联系。

- ✓ 请在看医生或去急诊室之前打电话咨询。
- ✓ 告知医生您的症状，并让医生知道您曾到过武汉。
- ✓ 请把此卡片交给医生。

分诊人员/临床医生:

- ✓ 请采取标准预防，接触隔离，空气传播预防，以及眼部防护措施。
- ✓ 请立即通知传染病防控机构和您所在州/地方的卫生部门。

详细信息请参见[www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)





# HEALTH ALERT: *Travelers from Wuhan, China*

There is an outbreak of pneumonia in **Wuhan, China** caused by a new type of coronavirus.

**If you have been in Wuhan within the past 2 weeks and develop a fever, cough, or have difficulty breathing, seek medical care right away.**

- Call ahead before going to see a doctor or emergency room.
- Tell them your symptoms and that you were in Wuhan.
- Give them this card.

## **Triage Staff/Clinicians:**

- Use standard, contact, and airborne precautions, and eye protection.
- Notify infection control and your state/local health department immediately.

**For more information:** [www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)



---

# HEALTH ALERT: *Travelers from Wuhan, China*

There is an outbreak of pneumonia in **Wuhan, China** caused by a new type of coronavirus.

**If you have been in Wuhan within the past 2 weeks and develop a fever, cough, or have difficulty breathing, seek medical care right away.**

- Call ahead before going to see a doctor or emergency room.
- Tell them your symptoms and that you were in Wuhan.
- Give them this card.

## **Triage Staff/Clinicians:**

- Use standard, contact, and airborne precautions, and eye protection.
- Notify infection control and your state/local health department immediately.

**For more information:** [www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)



---

# HEALTH ALERT: *Travelers from Wuhan, China*

There is an outbreak of pneumonia in **Wuhan, China** caused by a new type of coronavirus.

**If you have been in Wuhan within the past 2 weeks and develop a fever, cough, or have difficulty breathing, seek medical care right away.**

- Call ahead before going to see a doctor or emergency room.
- Tell them your symptoms and that you were in Wuhan.
- Give them this card.

## **Triage Staff/Clinicians:**

- Use standard, contact, and airborne precautions, and eye protection.
- Notify infection control and your state/local health department immediately.

**For more information:** [www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)



# HEALTH ALERT: *Travelers from Wuhan, China*

There is an outbreak of pneumonia in Wuhan, China caused by a new type of coronavirus.

If you have been in Wuhan within the past 2 weeks and develop a fever, cough, or have difficulty breathing, seek medical care right away.

- CALL AHEAD BEFORE GOING TO SEE A DOCTOR OR EMERGENCY ROOM.
- TELL THEM YOUR SYMPTOMS AND THAT YOU WERE IN WUHAN.
- GIVE THEM THIS CARD.

## Triage Staff/Clinicians:

- Use standard, contact, and airborne precautions, and eye protection.
- Notify infection control and your state/local health department immediately.



For more information: [www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)

# 健康预警：来自中国武汉的旅客请注意

近期，在中国武汉爆发了一种由新型冠状病毒所引起的肺炎。

如果您在过去两周内曾到过武汉，并出现发烧，咳嗽，或呼吸困难的症状，请立即与医生联系。

- 请在看医生或去急诊室之前打电话咨询。
- 告知医生您的症状，并让医生知道您曾到过武汉。
- 请把此卡片交给医生。

分诊人员/临床医生：

- 请采取标准预防，接触隔离，空气传播预防，以及眼部防护措施。
- 请立即通知传染病防控机构和您所在州/地方的卫生部门。



详细信息请参见：[www.cdc.gov/wuhan](http://www.cdc.gov/wuhan)